

Home Health Certification and Plan of Care										Order ID: 1150/17564													
1. Patient s HI claim No.			2. Start Of Care Date			3. Certification Period			4. Medical Record No.			5. Provider No.											
471283509			01/28/2026			From: 03/29/2026 To: 05/27/2026			21367			217058											
6. Patient's Name and Address Sheila Green 3003 WEST NORTH AVENUE Apt 103, BALTIMORE, MD 21216- 667-487-0505							7. Provider's Name, Address and Telephone Number HomeCentris Healthcare LLC 10 Crossroads Drive, Suite 102 Owings Mills, MD 21117-8284 410-321-8448 1487113239																
8. DOB 10/02/1964 9.Sex Female							10. Medications: Dose/Frequency/Route (N)ew (C)hanged																
11. ICD Principal Diagnosis Date												Advair - Fluticasone Propionate: Salmeterol Xinafoate 1 spray, Each Nare 1 time daily											
I13.0 Hyp hrt & chr kdny dis w hrt fail and stg 1-4/unspr chr kdny 01/28/26												Albuterol Sulfate And Ipratropium Bromide - Albuterol Sulfate: Ipratropium Bromide 0.5 mg											
13. ICD Other Pertinent Diagnoses Date												Albuterol - Albuterol 2.5 mg inhalant every 6 hours as needed											
I50.33 Acute on chronic diastolic (congestive) heart failure 01/28/26												Glucophage - Metformin Hydrochloride 500 mg 500 mg1 Tablet by mouth twice a day with meals											
E11.22 Type 2 diabetes mellitus w diabetic chronic kidney disease 01/28/26												8-Hour Bayer - Aspirin 81mg by mouth once a day											
N18.31 Chronic kidney disease stage 3a 01/28/26												budesonide-formoterol (BREYNA) 160-4.5 mcg/inh (ZERO inhaler) 2puffs inhalant in the morning											
N17.9 Acute kidney failure unspecified 01/28/26												Dabigatran Etxilate - Dabigatran Etxilate 150mg by mouth once a day											
J44.9 Chronic obstructive pulmonary disease unspecified 01/28/26												Ventolin Hfa - Albuterol Sulfate 0108 (90 BASE) mcg/act inhalant every 6 hours as needed											
J96.11 Chronic respiratory failure with hypoxia 01/28/26												Lipitor - Atorvastatin Calcium eq 40 mg base eq 40 mg base1 Tablet by mouth once a day											
I48.91 Unspecified atrial fibrillation 01/28/26												Tylenol - Acetaminophen 0500 mg / 1 Tablet by mouth every 6 hours as needed											
I27.20 Pulmonary hypertension unspecified 01/28/26												Cardizem Cd - Diltiazem Hydrochloride 240 mg 240 mg240 mg1 Tablet by mouth once a day											
G47.33 Obstructive sleep apnea (adult) (pediatric) 01/28/26												Feosol - Ferrous Sulfate: Folic Acid 325mg by mouth in the morning											
K59.00 Constipation unspecified 01/28/26												Aldactone - Spironolactone 25 mg 25 mg1 Tablet by mouth once a day											
E78.5 Hyperlipidemia unspecified 01/28/26												Pulmicort - Budesonide 00.5 mg inhalant twice a day											
E66.9 Obesity unspecified 01/28/26												SOANNZ Torsemide 0100mg / 1 Tablet by mouth once a day Diuretic											
Z68.41 Body mass index [BMI] 40.0-44.9 adult 01/28/26												Spiriva Respimat - Tiotropium Bromide 2.5 mcg by mouth once a day 2 puffs											
Z79.82 Long term (current) use of aspirin 01/28/26												O2 - Oxygen 2 Liters Nasal continuous											
Z79.01 Long term (current) use of anticoagulants 01/28/26																							
Z79.84 Long term (current) use of oral hypoglycemic drugs 01/28/26																							
Z99.81 Dependence on supplemental oxygen 01/28/26																							
Z87.891 Personal history of nicotine dependence 01/28/26																							
D50.0 Iron deficiency anemia secondary to blood loss (chronic) 01/28/26																							
E66.01 Morbid (severe) obesity due to excess calories 01/28/26																							
Z68.42 Body mass index [BMI] 45.0-49.9 adult 01/28/26																							
14. DME and Supplies: oxygen supplies, grab bars, nebulizer, large base quad cane, bath bench, 4 wheeled walker							15. Safety Measures: remove environmental barriers, , , diabetic precautions, bathroom safety, ambulates with device, ambulates with assistance,																
16. Nutrition: diabetic, cardiac diet							17. Allergies: ace inhibitors																
18.A. Functional Limitations Ambulation, Endurance							18.B. Activities Permitted Walker, Exercises Prescribed, Up As Tolerated																
19. Mental & Pyschosocial Status: COGNITION: 0. Able to get to and from the toilet and transfer independently with or without a device., ANXIETY: , SOCIAL ISOLATION: , BEHAVIORAL ISSUES: WNL , HISTORY OF DEPRESSION:																							
20. Prognosis: good																							
22. A Rehabilitation Potential: SELF-CARE: , MOBILITY:							22.B.Discharge Plans patient will be responsible for managing treatment																
Homebound status: Due to diagnosis of Hypertensive Heart And Chronic Kidney Disease With Heart Failure And Stage 1 Through 4 Or Unspecified Chronic Kidney Disease, or unspecified chronic kidney disease, the patient is experiencing decreased endurance and mobility, increasing the likelihood of falls. To safely leave their home, the patient needs assistance from another person and an assistive mobility device.																							
Clinical Condition <div>The patient is a 60-year-old female admitted to home health services following a recent hospitalization related to a Requiring Homecare:congestive heart failure exacerbation and a fall in the home. Past medical history is significant for congestive heart failure, chronic kidney disease, type 2 <mh class="chrome-extension-FindManyStrings chrome-extension-FindManyStrings-style-18 CE-FMS-diabetes">diabetes</mh> mellitus, atrial fibrillation, chronic hypoxic respiratory failure secondary to COPD, <mh class="chrome-extension-FindManyStrings chrome-extension-FindManyStrings-style-12 CE-FMS-hypertension">hypertension</mh>, <mh class="chrome-extension-FindManyStrings chrome-extension-FindManyStrings-style-16 CE-FMS-hyperlipidemia">hyperlipidemia</mh>, prior cerebrovascular accident, sleep apnea, obesity, and long-term oxygen use. The recent fall did not result in head injury or fractures; however, the patient sustained an abrasion to the left hip, which is currently scabbed and healing well without signs of infection. On assessment, the patient was alert and oriented to person, place, time, and situation (x4). Vital signs were obtained. The patient reports pain in the left foot, which was noted to be significantly edematous with +3 to +4 pitting edema. She ambulates indoors using a rollator and occasionally a cane, covering approximately 30 feet with supervision and supplemental oxygen. Transfers to bed, chair, and toilet, as well as bed mobility, are performed with supervision. Outdoor mobility, stair negotiation, and car transfers were not assessed at this visit. The patient is considered homebound due to the significant effort required to leave the home using an assistive device and oxygen, as supported by a Tinetti score of 14/28, indicating a high fall risk. Respiratory assessment revealed expiratory wheezing throughout lung fields; however, the patient denied shortness of breath at rest. She is on continuous oxygen via nasal cannula at 2.5 L/min, with pulse oximetry readings ranging from 91-93%. Cardiovascular and gastrointestinal assessments were unremarkable, with audible bowel sounds present and the patient reporting a bowel movement earlier the same day. Skin assessment revealed warm, dry skin with no rashes or open wounds aside from the healing left hip abrasion. The patient resides in a first-floor apartment with her mother, for whom she serves as a caregiver. The living environment was noted to have severe clutter in the patient's bedroom, with only a narrow pathway for entry, posing an additional fall and safety risk. Both the patient and her mother require assistive devices and supplemental oxygen, increasing the complexity of care and safety concerns within the home. During therapy assessment, the patient participated in supine therapeutic exercises, including hip flexion, bridging, straight leg raises, hip abduction, knee extension, and ankle pumps, completing five repetitions of each exercise and tolerating the session with supervision. She demonstrates decreased strength, endurance, balance, and functional mobility, contributing to impaired safety and independence. The patient was admitted to home health services for skilled nursing, physical therapy, and occupational therapy. Skilled nursing will monitor cardiopulmonary status, oxygen use, edema, skin integrity, pain, and chronic disease management. Physical and occupational therapy services are																							
23. Signature and Date of Verbal SOC Where Applicable: Electronically Signed by Messick, Charles RN on 03/25/2026										25. Date HHA Received Signed POT													
24. Physician's Name and Address Linda Ataifo 815 E. Pratt St Baltimore, MD 21202 PHONE: 4106375700 FAX: NPI: 1609371905										26. I certify/recertify that this patient is confined to his/her home and needs intermittent skilled nursing care, physical therapy and/or speech therapy or continues to need occupational therapy. The patient is under my care, and I have authorized the services on this plan of care and will periodically review the plan. F2F date : 01/11/2026													
27. Attending Physician's Signature and Date Signed : Date of physician last face-to-face										28. Anyone who misrepresents, falsifies, or conceals essential information required for payment of Federal funds may be subject to fine, imprisonment, or civil penalty under applicable Federal laws. PAGE 1 of 3													

Home Health Certification and Plan of Care				Order ID: 1150/17564
1. Patient s HI claim No.	2. Start Of Care Date	3. Certification Period	4. Medical Record No.	5. Provider No.
471283509	01/28/2026	From: 03/29/2026 To: 05/27/2026	21367	217058
6. Patient's Name and Address Sheila Green 3003 WEST NORTH AVENUE Apt 103, BALTIMORE, MD 21216- 667-487-0505			7. Provider's Name, Address and Telephone Number HomeCentris Healthcare LLC 10 Crossroads Drive, Suite 102 Owings Mills, MD 21117-8284 410-321-8448 1487113239	
indicated to improve strength, balance, functional mobility, transfer safety, and independence with activities of daily living while addressing fall risk and environmental safety concerns. The overall goal of care is to reduce fall risk, improve functional capacity, and promote the patient's ability to safely manage self-care and caregiving responsibilities within the home environment. Date of Order Orders Physician Face-to-Face Date: 01/11/2026 Clinical Condition Requiring Home Care per Certifying Physician: sn-disease management pt-eval & treat ot-eval & treat due to <mh>chrome-extension-FindManyStrings chrome-extension-FindManyStrings-style-13 CE-FMS-Hypertensive>Hypertensive</mh> Heart And Chronic Kidney Disease With Heart Failure And Stage 1 Through 4 Or Unspecified Chronic Kidney Disease Homebound Status per Certifying Physician: patient requires another person or medical equipment such as crutches, a walker, or a wheelchair to leave home 4 - Recertification Notes: The patient is a 61 year old with 2nd hospitalization due to CHF exacerbation and fluid drainage from legs due to swelling. History includes CHF, CKD, DM, COPD, AFIB, HTN, CVA. The patient is homebound due to significant effort to leave home with device and as evidenced by tinetti score of 14/28. The patient needs nursing for disease management. Recertification to increase endurance and strength. Physician Ataifo, Linda				
SN Careplans			SN Goals	
PT Careplans PT WK1: 1 (03/29/26-04/04/26) ,WK2: 1 (04/05/26-04/11/26) ,WK3: 1 (04/12/26-04/18/26) ,WK4: 1 (04/19/26-04/25/26) ,WK5: 1 (04/26/26-05/02/26) ,WK6: 1 (05/03/26-05/09/26) ,WK7: 1 (05/10/26-05/16/26) PARAMETERS FOR PHYSICIAN NOTIFICATION: temperature < 95 > 100, heart rate < 50 > 110, respiratory rate < 8 > 22, blood pressure systolic < 90 > 169, blood pressure diastolic < 60 > 90, O2 saturation < 88 > 100, pain < 0 > 8 CAREGIVER: WNL HOSPITALIZATION RISKS: 3. Multiple hospitalizations (2 or more) in the past 6 months, 4. Multiple emergency department visits (2 or more) in the past 6 months, 6. Reported or observed history of difficulty complying with any medical instructions (for example, medications, diet, exercise) in the past 3 months, 7. Currently taking 5 or more medications, 9. Other risk(s) not listed in 1- 8 STANDING ORDERS: infection control: hygiene, proper hand washing; advance directive: plan if patient is unable to make healthcare decisions ; fall precautions: wear sensible shoes, remove home hazards, living space adequately lit, assistive devices prn; emergency preparedness: plan for prn evacuation, resumption of home health visits; Assess the patient's incision on post op day 7 and the nurse or physical therapist will remove aquacel dressing leaving OTA; if incision is draining educate pt/pcg on cleaning with normal saline and covering with dry gauze daily and as needed. Assess/Instruct Pt/PCg: Ice to ____ x 20 minutes each hour while awake. If cold machine ordered apply 20 minutes on and 20 minutes off for 3-4 times a day. Assess/Instruct all body systems/vital signs/complications, Blood Pressure; systolic is greater than 169 mm Hg or less than 90 mm Hg; diastolic is greater than 100 mm Hg or less than 55 mm Hg, Clinician to assess comorbidities and report changes in condition to the patient's physician, Pain Rating is greater than 6 on 0-10 scale, Pulse is greater than 110 or less than 50, Respirations are greater than 22 or less than 8, S02: is less than 90 % at rest /with exertion, Temperature is greater than 100.5 F or less than 95.0 F, Pain Rating is greater than 6 on 0-10 scale Implement Fall Prevention Program, Instruct and educate the patient/PCG on wearing compression stockings for the next 4 weeks per discharge instructions. Instruct the pt/PCG on using the incentive spirometer 10 times every 2 hour while awake. Provide education content at patient's level of health literacy. Assess/Instruct Pt/PCg: Safety measures to prevent injury. Assess: Musculoskeletal status. Teach Pt/PCg to maintain appropriate wt bearing status as ordered by MD, total joint replacement precautions as applicable, Safe stair climbing skills, Safe, effective use of adaptive/assist device Assess/Instruct Pt/PCg: Pain management measures; assess pain level, pain medication, rest, body alignment, ROM, meditation, massage. Pt/PCg educated in pain management techniques including positioning and relaxation techniques Instruct Pt/PCg: Medication actions, uses, frequency, dose, side effects, interactions of all new/change meds, Provide medication education,. Assess/Instruct Pt/PCg: Safety measures to prevent injury, Therapeutic Exercise, Transfer Training			PT Goals PATIENT-STATED GOAL: Be able to get out of the house and go shopping by myself GOALS Chair to Bed to Chair - 06. Independent Toilet Transfer - 06. Independent Car Transfer - 06. Independent Walk 50 ft with 2 Turns - 04. Supervision or touching assistance Walk 150 Feet - 04. Supervision or touching assistance 1 - Step (curb) - 04. Supervision or touching assistance Walk 10 ft on Uneven Surface - 04. Supervision or touching assistance Walk 10 Feet - 04. Supervision or touching assistance Sit to Stand - 06. Independent patient/caregiver recalls * lifestyle modifications to manage respiratory condition including * diet changes and regular exercise * strategies to control shortness of breath * home remedies to keep lungs healthy * recalls related medicatio Picking Up Object - 04. Supervision or touching assistance	
Signature of Physician:			Date	
			PAGE 2 of 3	
Optional Name/Signature of Nurse/Therapist:			Date	
Electronically Signed by Messick, Charles RN			03/25/2026	

Home Health Certification and Plan of Care				Order ID: 1150/17564
1. Patient s HI claim No.	2. Start Of Care Date	3. Certification Period	4. Medical Record No.	5. Provider No.
471283509	01/28/2026	From: 03/29/2026 To: 05/27/2026	21367	217058
6. Patient's Name and Address Sheila Green 3003 WEST NORTH AVENUE Apt 103, BALTIMORE, MD 21216- 667-487-0505			7. Provider's Name, Address and Telephone Number HomeCentris Healthcare LLC 10 Crossroads Drive, Suite 102 Owings Mills, MD 21117-8284 410-321-8448 1487113239	
Monitor surgical wound for s/s of infection, educate on s/s of concern and infection prevention to promote wound healing. ; Skin Preservation: Measures to prevent skin breakdown; pressure relief, incontinence care, nutrition, hydration ; Pain: Pain management measures; pain medication, rest, body alignment, ROM, meditation, massage ; Medications: Medication actions, uses, frequency, dose, interactions of all new/change meds Advance Directive:No Advance Directive PROBLEMS IDENTIFIED ON ASSESSMENT: dependent edema, weak pulses in feet, limited endurance, limited strength, balance deficit, obesity, open sores/lesions 03/26/2026: #1 - Abrasion - Anterior Left Hip PROCEDURES: Home exercise program : Supine hip flexion, bridging, hooklying rotation, straight leg raise, hip abduction,. Standing knee flexion, hip abduction, hip extension, plantarflexion, squats. Sitting knee extension, ankle pumps , gait training/stair training, transfers training TEACH PATIENT/CAREGIVER: * lifestyle modifications to manage respiratory condition including diet changes and regular exercise strategies to control shortness of breath home remedies to keep lungs healthy, related medicatio, Sit to Stand - 06. Independent, Chair to Bed to Chair - 06. Independent, Toilet Transfer - 06. Independent, Car Transfer - 06. Independent, Walk 10 Feet - 04. Supervision or touching assistance, Walk 50 ft with 2 Turns - 04. Supervision or touching assistance, Walk 150 Feet - 04. Supervision or touching assistance, 1 - Step (curb) - 04. Supervision or touching assistance, Picking Up Object - 04. Supervision or touching assistance, Walk 10 ft on Uneven Surface - 04. Supervision or touching assistance				

Signature of Physician:	Date
	PAGE 3 of 3
Optional Name/Signature of Nurse/Therapist:	Date
Electronically Signed by Messick, Charles RN	03/25/2026