

Home Health Certification and Plan of Care				Order ID: 1150/19431	
1. Patient s HI claim No.		2. Start Of Care Date		3. Certification Period	
5HE4X37TT86		01/24/2026		From: 05/24/2026 To: 07/22/2026	
				4. Medical Record No.	
				21742	
				5. Provider No.	
				217058	
6. Patient's Name and Address				7. Provider's Name, Address and Telephone Number	
Shirley Sciortino				HomeCentris Healthcare LLC	
919 Rustling Oaks Drive,				10 Crossroads Drive, Suite 102	
MILLERSVILLE, MD 21108-				Owings Mills, MD 21117-8284	
443-421-1332				410-321-8448	
				1487113239	
8. DOB 01/12/1947 9.Sex Female				10. Medications: Dose/Frequency/Route (N)ew (C)hanged	
11. ICD		Principal Diagnosis		Eliquis - Apixaban 5mg; 1 tab by mouth twice a day Indications: Atrial fibrillation	
I48.19		Other persistent atrial fibrillation		Coreg - Carvedilol 6.25 mg 6.25 mg/ 1 Tablet by mouth twice a day for heart/blood pressure	
13. ICD		Other Pertinent Diagnoses		Vitamin D3 - Alpha-Tocopherol Acetate: Ascorbic Acid: Biotin: Cholecalciferol: Cyanocobalamin: Dexpantenol: Folic Acid: Niacinamide: Pyridox 1000 Unit Take 1 Tablet by mouth once a day Cholecalciferol (vitamin D3) 1,000 units is equivalent to 25 mcg Melatonin - Melatonin 3mg; 1 tab by mouth at bedtime for sleep Adalat Cc - Nifedipine 60 mg 60 mg/ 1 Tablet by mouth once a day Do not crush or chew. Protonix - Pantoprazole Sodium eq 40 mg base eq 40 mg base1 Tablet by mouth once a day Do not crush or chew GERD Cytoxan - Cyclophosphamide 75MG; 1 Capsule by mouth once a day Antineoplastic agent. Check the linked chemotherapy policy. Do not crush or chew. Bactrim - Sulfamethoxazole: Trimethoprim 400 mg;80 mg 400-80MG; 1 TAB by mouth three times per week on Tuesday Thursday and Saturday Please give it after HD sessions Predisone - Prednisone 10MG by mouth once a day PREDNISONE 30MG DAILY UNTIL 1/18 25MG DAILY FROM 1/19-2/1 20MG DAILY FROM 2/2-2/15 15MG DAILY FROM 2/26-3/1 10 MG DAILY FROM 3/2 ONWARDS UNTIL INSTRUCTED TO CHANGE/STOP BY RHEUMATOLOGIST OUTPATIENT O2 - Oxygen 0 2L nasal cannula every hour 2LNC daily RETACRIT epoetin alfa-epbx 5,000 units injection subcutaneous once a day on Tuesday Thursday Saturday. Indications of Use: anemia in hemodialysis-dependent chronic kidney disease.	
I12.9		Hypertensive chronic kidney disease w stg 1-4/unsp chr kdny			
N18.30		Chronic kidney disease stage 3 unspecified			
D63.1		Anemia in chronic kidney disease			
E87.1		Hypo-osmolality and hyponatremia			
E87.5		Hyperkalemia			
M31.7		Microscopic polyangiitis			
I48.91		Unspecified atrial fibrillation			
I77.82		Antineutrophilic cytoplasmic antibody [ANCA] vasculitis			
J84.9		Interstitial pulmonary disease unspecified			
G58.7		Mononeuritis multiplex			
G62.89		Other specified polyneuropathies			
H49.20		Sixth [abducent] nerve palsy unspecified eye			
F41.9		Anxiety disorder unspecified			
K21.9		Gastro-esophageal reflux disease without esophagitis			
R05.3		Chronic cough			
Z79.01		Long term (current) use of anticoagulants			
Z90.49		Acquired absence of other specified parts of digestive tract			
Z90.710		Acquired absence of both cervix and uterus			
Z86.73		Prsnl hx of TIA (TIA) and cereb infrc w/o resid deficits			
I13.2		Hyp hrt & chr kdny dis w hrt fail and w stg 5 chr kdny/ESRD			
I50.23		Acute on chronic systolic (congestive) heart failure			
Z99.2		Dependence on renal dialysis			
E83.39		Other disorders of phosphorus metabolism			
I5A.		Non-ischemic myocardial injury (non-traumatic)			
G40.909		Epilepsy unsp not intractable without status epilepticus			
R73.03		Prediabetes			
Z99.81		Dependence on supplemental oxygen			
Z79.52		Long term (current) use of systemic steroids			
Z87.01		Personal history of pneumonia (recurrent)			
Z96.652		Presence of left artificial knee joint			
14. DME and Supplies:				15. Safety Measures:	
wheelchair, walker, rolling walker, hospital bed, hand held shower, commode, bath bench, 4 wheeled walker				wheelchair precautions, walker precautions, supervision at all times, standard precautions, smoke detectors , medication safety, medical alert/lifeline, fall precautions, bleeding precautions, aspiration precautions, , ambulates with device, ambulates with assistance	
16. Nutrition:				17. Allergies:	
renal diet				codeine morphine	
18.A. Functional Limitations				18.B. Activities Permitted	
Ambulation, Endurance				Up As Tolerated	
19. Mental & Pyschosocial Status:				20. Prognosis:	
COGNITION: 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer, ANXIETY: 0. Never, SOCIAL ISOLATION: , BEHAVIORAL ISSUES: , HISTORY OF DEPRESSION:				fair	
22. A Rehabilitation Potential:				22.B.Discharge Plans	
SELF-CARE: , MOBILITY:				patient will be responsible for managing treatment	
Homebound status: Due to diagnosis of Other persistent atrial fibrillation, the patient is experiencing decreased endurance and mobility, increasing the likelihood of falls. To safely leave their home, the patient needs assistance from another person and an assistive mobility device.					

23. Signature and Date of Verbal SOC Where Applicable:		25. Date HHA Received Signed POT	
Electronically Signed by Messick, Charles RN on 05/19/2026			
24. Physician's Name and Address		26. I certify/recertify that this patient is confined to his/her home and needs intermittent skilled nursing care, physical therapy and/or speech therapy or continues to need occupational therapy. The patient is under my care, and I have authorized the services on this plan of care and will periodically review the plan.	
Elliott Gorbaty		F2F date : 12/20/2025	
1411 Madison Park Dr			
Glen Bernie, MD 21061			
PHONE: 4105539571 FAX: 14105539573 NPI: 1528043049			
27. Attending Physician's Signature and Date Signed : Date of physician last face-to-face		28. Anyone who misrepresents, falsifies, or conceals essential information required for payment of Federal funds may be subject to fine, imprisonment, or civil penalty under applicable Federal laws.	
		PAGE 1 of 3	

Home Health Certification and Plan of Care				Order ID: 1150/19431
1. Patient s HI claim No.	2. Start Of Care Date	3. Certification Period	4. Medical Record No.	5. Provider No.
5HE4X37TT86	01/24/2026	From: 05/24/2026 To: 07/22/2026	21742	217058
6. Patient's Name and Address Shirley Sciortino 919 Rustling Oaks Drive, MILLERSVILLE, MD 21108- 443-421-1332			7. Provider's Name, Address and Telephone Number HomeCentris Healthcare LLC 10 Crossroads Drive, Suite 102 Owings Mills, MD 21117-8284 410-321-8448 1487113239	

Clinical Condition Requiring Homecare: <div>The patient is a 79-year-old female recently discharged following a prolonged 31-day inpatient hospitalization for nausea, diarrhea, and confusion, during which she was diagnosed with acute renal failure requiring urgent initiation of hemodialysis, complicated by severe hyperkalemia and metabolic acidosis. Since discharge, the patient remains dialysis-dependent and receives hemodialysis three times weekly via a right subclavian dialysis catheter, which is intact without noted complications. She reports oliguria. Past medical history is significant for vasculitis with a recent flare managed with prednisone, cerebrovascular accident two years ago, chronic bronchial disease, interstitial lung disease, hypertension, peripheral neuropathy, gastroesophageal reflux disease, pseudoaneurysm status post surgical repair, three prior cerebral aneurysms, and multiple surgical procedures including cholecystectomy, hysterectomy, left total knee replacement, tonsillectomy, and aneurysm repairs. On assessment, the patient is awake, alert, and oriented to person, place, and time. She denies pain but reports shortness of breath with minimal to moderate exertion. Lung auscultation reveals diminished breath sounds bilaterally with crackles at the lung bases. Trace bilateral lower extremity edema is noted. Appetite is fair, with the patient consuming approximately three meals daily, and her last bowel movement was reported as occurring the day prior to assessment. Vital signs revealed elevated blood pressure earlier in the day (144/100 mmHg) due to missed medications; following medication administration, blood pressure improved to 140/70 mmHg by the afternoon. The patient reports chronic lower extremity weakness and neuropathy, altered taste sensation (difficulty tasting salt), and decreased endurance. She utilizes a wheelchair at the dialysis center and has assistive devices available in the home but is not currently using them for ambulation. No falls were reported in the past year. Due to limited endurance related to cardiovascular and respiratory disease, the patient has significant difficulty safely leaving the home and requires prolonged recovery time after outings. The patient resides in a multi-level home and currently sleeps in a hospital bed located in the den, as she has been unable to access her second-floor bedroom for over a month. Environmental barriers include two steps through the garage to enter and exit the home and three steps to access the kitchen. The patient's spouse, Joseph, provides assistance with all activities of daily living (ADLs) and instrumental activities of daily living (IADLs), although the patient is able to complete select IADLs such as writing checks, light meal preparation (e.g., cutting vegetables), and computer use. Skilled nursing reviewed all medications with the patient and spouse, including anticoagulation therapy with Eliquis taken twice daily, and provided education regarding signs and symptoms of bleeding; both the patient and spouse verbalized understanding. Given the patient's decreased strength in bilateral upper and lower extremities, impaired balance, unsteady gait, difficulty with transfers and stair negotiation, reduced activity tolerance, and poor safety awareness, she is at high risk for falls and further functional decline. Physical therapy and occupational therapy evaluations have been ordered to address deficits in strength, functional mobility, transfers, ambulation safety, balance, stair management, and ADL performance. The plan of care includes skilled nursing <mh class="chrome-extension-FindManyStrings chrome-extension-FindManyStrings-style-6 CE-FMS-visits">visits</mh> at the prescribed frequency for ongoing monitoring, medication management, and education, as well as home-based PT and OT services to promote safety, prevent rehospitalization, and support the patient's goal of maximizing independence within the home environment.</div><div>
</div><div>Date of Order</div><div>05/19/2026</div><div>Orders</div><div>Date of Certifying Physician: SN for disease management: PT eval and treat OT eval and treat due to Other persistent atrial fibrillation</div><div>Homebound Status per Certifying Physician: patient requires another person or medical equipment such as crutches, a walker, or a wheelchair to leave home</div><div>
</div><div>Clinical Condition Requiring Home Care per The patient is recertified due to decreased strength in bilateral LEs, decreased functional mobility, difficulty with negotiating steps, unsteady gait, difficulty with transfers, decreased balance, decreased safety awareness, increased risk for falls, remains SOB with all mobility, most notably when addressing steps, continues to require home PT to address balance deficits and difficulty with mobility on outdoor surfaces, and limited endurance for mobility out of the house causing exhaustion and increasing risk for falls.</div><div>
</div><div>Physician</div><div>Gorbaty, Elliott</div></div>

SN Careplans

SN WK1: 1 (05/24/26-05/30/26) ,WK2: 1 (05/31/26-06/06/26) ,WK3: 1 (06/07/26-06/13/26) ,WK4: 1 (06/14/26-06/20/26)

PARAMETERS FOR PHYSICIAN NOTIFICATION: temperature < 95 > 100.5, heart rate < 50 > 110, respiratory rate < 8 > 22, blood pressure systolic < 90 > 169, blood pressure diastolic < 60 > 90, O2 saturation < 88 > 100, pain < 0 > 10

CAREGIVER: 2. Non-agency caregiver(s) need training/supportive services to provide assistance

HOSPITALIZATION RISKS: 2. Unintentional weight loss of a total of 10 pounds or more in the past 12 months, 7. Currently taking 5 or more medications, 8. Currently reports exhaustion, 9. Other risk(s) not listed in 1- 8

STANDING ORDERS: infection control: hygiene, proper hand washing; advance directive: plan if patient is unable to make healthcare decisions ; fall precautions: wear sensible shoes, remove home hazards, living space adequately lit, assistive devices prn; emergency preparedness: plan for prn evacuation, resumption of home health visits; Assess the patient's incision on post op day 7 and the nurse or physical therapist will remove aquacel dressing leaving OTA; if incision is draining educate pt/pcg on cleaning with normal saline and covering with dry gauze daily and as needed. Assess/Instruct Pt/Pcg: Ice to ____ x 20 minutes each hour while awake. If cold machine ordered apply 20 minutes on and 20 minutes off for 3-4 times a day. Assess/Instruct all body systems/vital signs/complications, Blood Pressure; systolic is greater than 169 mm Hg or less than 90 mm Hg; diastolic is greater than 100 mm Hg or less than 55 mm Hg, Clinician to assess comorbidities and report changes in condition to the patient's physician, Pain Rating is greater than 6 on 0-10 scale, Pulse is greater than 110 or less than 50, Respirations are greater than 22 or less than 8, SPO2: is less than 90 % at rest /with exertion, Temperature is greater than 100.5 F or less than 95.0 F, Pain Rating is greater than 6 on 0-10 scale Implement Fall Prevention Program, Instruct and educate the patient/PCG on wearing compression stockings for the next 4 weeks per discharge instructions. Instruct the pt/PCG on using the incentive spirometer 10 times every 2 hour while awake. Provide education content at patient's level of health literacy. Assess/Instruct Pt/Pcg: Safety measures to prevent injury. Assess: Musculoskeletal status. Teach Pt/Pcg to maintain appropriate wt bearing status as ordered by MD, total joint replacement precautions as applicable, Safe stair climbing skills, Safe, effective use of adaptive/assist device Assess/Instruct Pt/Pcg: Pain management measures; assess pain level, pain medication, rest, body alignment, ROM, meditation, massage. Pt/Pcg educated in pain management techniques including positioning and relaxation techniques Instruct Pt/Pcg: Medication actions, uses, frequency, dose, side effects, interactions of all new/change meds, Provide medication education,. Assess/Instruct Pt/Pcg: Safety measures to prevent injury, Therapeutic Exercise, Transfer Training Monitor surgical wound for s/s of infection, educate on s/s of concern and infection prevention to promote wound healing.

SN Goals

PATIENT-STATED GOAL: TO GET STRONGER

GOALS

meal preparation is available to patient for all meals

patient self-administers medications as prescribed

* recalls related medication(s) purpose, schedule

patient/caregiver recalls

* how to achieve wound healing including cleaning and dressing wound

* position changes

* skin care

* diet modification

* record wound measurements

* recalls related medication(s) purpose, schedule

patient/caregiver recalls

* lifestyle modifications to manage respiratory condition including

* diet changes and regular exercise

* strategies to control shortness of breath

* home remedies to keep lungs healthy

* recalls related medicatio

caregiver performs medical/rehabilitation treatments with adequate competence

Signature of Physician:	Date
	PAGE 2 of 3
Optional Name/Signature of Nurse/Therapist:	Date
Electronically Signed by Messick, Charles RN	05/19/2026

Home Health Certification and Plan of Care				Order ID: 1150/19431	
1. Patient s HI claim No.		2. Start Of Care Date		3. Certification Period	
5HE4X37TT86		01/24/2026		From: 05/24/2026 To: 07/22/2026	
				4. Medical Record No.	
				21742	
				5. Provider No.	
				217058	
6. Patient's Name and Address			7. Provider's Name, Address and Telephone Number		
Shirley Sciortino			HomeCentris Healthcare LLC		
919 Rustling Oaks Drive,			10 Crossroads Drive, Suite 102		
MILLERSVILLE, MD 21108-			Owings Mills, MD 21117-8284		
443-421-1332			410-321-8448		
			1487113239		

; Skin Preservation: Measures to prevent skin breakdown; pressure relief, incontinence care, nutrition, hydration ; Pain: Pain management measures; pain medication, rest, body alignment, ROM, meditation, massage ; Medications: Medication actions, uses, frequency, dose, interactions of all new/change meds Advance Directive:Living Will PROBLEMS IDENTIFIED ON ASSESSMENT: M2102d - Caregiver Performs Treatment, abnormal blood pressure (CR), swelling in legs/around eyes (CR), nausea/vomiting, limited range of motion (MS), poor muscle tone (MS), daytime fatigue (NR), lethargy (NR), obesity (NU), bruising/discoloration (SK), #1 - Non-Observable Surgical Wound - Anterior Right Upper Chest - Right upper chest Perma-Cath. Dressing is dry and intact. PROCEDURES: physician-ordered wound care: #1 - Non-Observable Surgical Wound - Anterior Right Upper Chest - Right upper chest Perma-Cath. Dressing is dry and intact., Weekly Labs : Obtain weekly labs: CBC with Diff, Glomerular Basement Membrane Antibody, IgG, Myeloperoxidase (MPO) IgG, Serum, Renal Function Panel Fax results to Duvuru Geetha, MD, MBBS/Rheumatology -- 410-550-1033 - fax (443-997-1552 - Office) Dx: N17.9, All labs should be taken to Lab Corp for Processing: Take all labs to Lab Corp for processing., cough/deep breathing exercises, train caregiver(s) to perform medical/rehabilitation treatments, wound vacuum, monitor dialysis schedule: Dialysis MWF TEACH PATIENT/CAREGIVER: * lifestyle modifications to manage respiratory condition including diet changes and regular exercise strategies to control shortness of breath home remedies to keep lungs healthy, related medicatio, * how to achieve wound healing including cleaning and dressing wound position changes skin care diet modification record wound measurements, related medication(s) purpose, schedule, patient self-administers medications as prescribed, related medication(s) purpose, schedule, meal preparation is available to patient for all meals, caregiver performs medical/rehabilitation treatments with adequate competence	
---	--

PT Careplans	PT Goals
PT WK1: 1 (05/24/26-05/30/26) ,WK2: 1 (05/31/26-06/06/26) ,WK3: 1 (06/07/26-06/13/26) ,WK4: 1 (06/14/26-06/20/26) ,WK5: 1 (06/21/26-06/27/26)	PATIENT-STATED GOAL: I want to be able to safely access my second floor shower and to be able to walk outside
PROBLEMS IDENTIFIED ON ASSESSMENT: GG0170N1 - 4 Steps, GG0130F1 - Upper Body Dressing, GG0130H1 - Don/Doff Footwear, GG0130G1 - Lower Body Dressing, GG0130E1 - Shower/Bathe Self, GG0130C1 - Toileting Hygiene, GG0130B1 - Oral Hygiene, GG0170E1 - Chair to Bed to Chair, GG0170P1 - Picking Up Object, GG0170O1 - 12 Steps, GG0170D1 - Sit to Stand, GG0170M1 - 1 - Step (curb), GG0170M1 - 1 - Step (curb), GG0170M1 - 1 - Step (curb), GG0170L1 - Walk 10 ft on Uneven Surface, GG0170K1 - Walk 150 Feet, GG0170J1 - Walk 50 ft with 2 Turns, GG0170I1 - Walk 10 Feet, GG0170G1 - Car Transfer, GG0170F1 - Toilet Transfer	GOALS: Chair to Bed to Chair - 06. Independent
PROCEDURES: home exercise program: Supine- ankle pump, quad set, gluteal set, heel slide, SLR, bridging. Seated-LAQ hip flex, hip abd, pillow squeeze. Standing-Mini squat, heel/toe raise, hip flex, hip abd, hip ext, leg curls., equipment training, work simplification/energy conservation, dynamic standing balance exercises: Dynamic balance activity to be performed on firm surface with no hands on device, weight shifting L-R with wide BOS, and forward backward with separated stance., gait training on uneven surfaces, gait training/stair training, transfers training	Toilet Transfer - 06. Independent
TEACH PATIENT/CAREGIVER: * lifestyle modifications to manage respiratory condition including diet changes and regular exercise strategies to control shortness of breath home remedies to keep lungs healthy, related medicatio, Chair to Bed to Chair - 06. Independent, Sit to Stand - 06. Independent, Toilet Transfer - 06. Independent, Car Transfer - 06. Independent, Walk 10 Feet - 06. Independent, Walk 50 ft with 2 Turns - 06. Independent, Walk 150 Feet - 06. Independent, Walk 10 ft on Uneven Surface - 06. Independent, 1 - Step (curb) - 06. Independent, 4 Steps - 06. Independent, 12 Steps - 06. Independent, Picking Up Object - 06. Independent, Oral Hygiene - 06. Independent, Toileting Hygiene - 06. Independent, Shower/Bathe Self - 05. Setup or clean-up assistance, Lower Body Dressing - 06. Independent, Don/Doff Footwear - 06. Independent, Upper Body Dressing - 06. Independent	Shower/Bathe Self - 05. Setup or clean-up assistance
	12 Steps - 06. Independent
	Walk 10 ft on Uneven Surface - 06. Independent
	Car Transfer - 06. Independent
	patient/caregiver recalls * lifestyle modifications to manage respiratory condition including * diet changes and regular exercise * strategies to control shortness of breath * home remedies to keep lungs healthy * recalls related medicatio
	Sit to Stand - 06. Independent
	Picking Up Object - 06. Independent
	4 Steps - 06. Independent
	1 - Step (curb) - 06. Independent
	Walk 150 Feet - 06. Independent
	Walk 50 ft with 2 Turns - 06. Independent
	Walk 10 Feet - 06. Independent
	Oral Hygiene - 06. Independent
	Toileting Hygiene - 06. Independent
	Lower Body Dressing - 06. Independent
	Upper Body Dressing - 06. Independent
	Don/Doff Footwear - 06. Independent

Signature of Physician:	Date
	PAGE 3 of 3
Optional Name/Signature of Nurse/Therapist:	Date
Electronically Signed by Messick, Charles RN	05/19/2026